



Valves for quality efficiency

AN ISO 9001:2008 Certified Company



Quality



Service



Reliability



Excellence



Commitment



& Innovation

INTRODUCTION

We are pleased to introduce our selves as a manufacture of industrial valves Forex Engineers Started Manufacturing valves for industrial purpose in the year of 1993 since then. we have devoted our constant and untiring efforts to the purpose of manufacturing dependandable and high quality valves for oil petrochemicals, Fertilizers, Refineries and Allied Chemical Industries

We manufacture Cast Steel, Cast Iron, Stainless Steel 304, 316, Valves for Hgih Pressure and high Tempreture. Forex valves are designed and manufacture by Competant engineers and craftsmen with their vast experiance

1 GLOBE VALVE

CAST STEEL DIN ND 40 Type



MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410 (13% Crom)
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : BS 5146
 TESTING : BS 5146
 ENDS : Flanged to DIN 2545
 TEST PRESSURE : Body : 80 Kg/cm²
 Seat : 40 Kg/cm²

SIZE	PRICE
25 NB	2400
40 NB	3500
50 NB	4000
65 NB	5700
80 NB	7000
100 NB	10000
125 NB	15000
150 NB	21000

2 GLOBE VALVE

CAST STEEL -ASA 150 CLASS



MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410 (13% Crom)
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : BS 5146
 TESTING : BS 5146
 ENDS : Flanged ANSI B 16.5 (150#)
 TEST PRESSURE : Body : 30 Kg/cm²
 Seat : 21 Kg/cm²

SIZE	PRICE
25 NB	2400
40 NB	3500
50 NB	4000
65 NB	5600
80 NB	7000
100 NB	10000
125 NB	15000
150 NB	20000
200 NB	33000
250 NB	56000

3 GLOBE VALVE

CAST STEEL -ASA 300 CLASS



MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410 (13% Crom)
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : BS 1873
 TESTING : BS 5146
 ENDS : Flanged ANSI B 16.5 (300#)
 TEST PRESSURE : Body : 75 Kg/cm²
 Seat : 55 Kg/cm²

SIZE	PRICE
40 NB	5200
50 NB	6500
65 NB	10000
80 NB	12000
100 NB	17000
150 NB	39000

4 GLOBE VALVE

CAST STEEL -ASA 600 CLASS



MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410 (13% Crom)
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : BS 1873
 TESTING : BS 5146
 ENDS : Flanged ANSI B 16.5 (300#)
 TEST PRESSURE : Body : 150 Kg/cm²
 Seat : 110 Kg/cm²

SIZE	PRICE
50 NB	10000
65 NB	16000
80 NB	18000
100 NB	30000
150 NB	53000

5 GLOBE VALVE



CAST STAINLESS STEEL ASA 150 CLASS

MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 304 / SS316
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : BS 1873
 TESTING : BS 5146
 ENDS : Flanged ANSI B 16.5 (150#)
 DIN 2545
 TEST PRESSURE : Body : 30 Kg/cm²
 Seat : 21 Kg/cm²

SIZE	PRICE	
	CF8 (SS304)	CF8M (SS316)
25 NB	6100	8500
40 NB	8900	12000
50 NB	10400	14250
65 NB	13500	18500
80 NB	15600	21000
100 NB	25000	34000
125 NB	36000	50000
150 NB	45000	62500
200 NB	90000	120000

6 GLOBE VALVE



CAST IRON DIN ND 16 Type/ ASA 150 CLASS

MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410 (13% Crom)
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : BS 5146
 TESTING : BS 5146
 ENDS : Flanged to DIN 2533
 TEST PRESSURE : Body : 10 Kg/cm²
 Seat : 10 Kg/cm²

SIZE	PRICE
25 NB	2100
40 NB	3000
50 NB	3400
65 NB	4600
80 NB	6000
100 NB	8500
125 NB	12800
150 NB	17000
200 NB	27000
250 NB	44000

7 GLOBE VALVE & GLOBE GATE



FORGED STEEL 800 CLASS

MOC : ASTMA A 105 Gr WCB
 TRIMS : SS410 SS 13% Crom
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : API 602
 TESTING : API 598
 ENDS : Screwed BSP / Socket-
 Wldable to ANSI B 16,11
 TEST PRESSURE : Body : 210 Kg/cm²
 Seat : 140 Kg/cm²

SIZE	PRICE GLOBE
15 NB	1400
20 NB	1600
25 NB	2000
40 NB	4250
50 NB	5200

8 GATE VALVE



FORGED STEEL 800 CLASS

MOC : ASTMA A 105 Gr WCB
 TRIMS : SS410 13% Crom
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : API 602
 TESTING : API 598
 ENDS : Screwed BSP / Socket-
 Wldable to ANSI B 16,11
 TEST PRESSURE : Body : 210 Kg/cm²
 Seat : 140 Kg/cm²

SIZE	PRICE
15 NB	1500
20 NB	1800
25 NB	2300
40 NB	5000
50 NB	6000

9 GATE VALVE



CAST STEEL - ASA 150 CLASS

MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410 13% Crom
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : API 600 / BS 1414
 TESTING : API 598
 ENDS : Flanged ANDIB 16.5 (150#)
 TEST PRESSURE : Body : 30 Kg/cm²
 Seat : 21 Kg/cm²

SIZE	PRICE
25 NB	3000
40 NB	3800
50 NB	4250
65 NB	6000
80 NB	6600
100 NB	10000
125 NB	14500
150 NB	17500
200 NB	31000
250 NB	44000
300 NB	66000
350 NB	98000
400 NB	140000

Gear Box Charges
10,000 Per Valve

10 GATE VALVE



CAST STEEL - ASA 300 CLASS

MOC : ASTMA A 105 Gr WCB
 TRIMS : SS 410 13% Crom
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : API 602
 TESTING : API 598
 ENDS : Screwed BSP / Socket-
 Wldable to ANSI B 16,11
 TEST PRESSURE : Body : 75 Kg/cm²
 Seat : 55 Kg/cm²

SIZE	PRICE
40 NB	5200
50 NB	6400
65 NB	9600
80 NB	12000
100 NB	15000
125 NB	21000
150 NB	32000
200 NB	56000

11 GATE VALVE



CAST STEEL - ASA 600 CLASS

MOC : ASTMA A 105 Gr WCB
 TRIMS : SS 410 13% Crom
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : API 602
 TESTING : API 598
 ENDS : Screwed BSP / Socket-
 Wldable to ANSI B 16,11
 TEST PRESSURE : Body : 150 Kg/cm²
 Seat : 110 Kg/cm²

SIZE	PRICE
50 NB	10000
65 NB	16000
80 NB	18000
100 NB	30000
150 NB	53000

12 GATE VALVE



STAINLESS STEEL - ASA 150 CLASS

MOC : ASTMA A 351 CF 8/CF8M
 TRIMS : SS 304 / SS 316
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : API 600 / BS 1414
 TESTING : API 598
 ENDS : Screwed BSP / Socket-
 FLANGED to ANSI B 16.5(150#)
 TEST PRESSURE : Body : 30 Kg/cm²
 Seat : 21 Kg/cm²

13 GATE VALVE



CAST IRON - ASA 150 CLASS

MOC : IS 210 Gr. FG200
 TRIMS : SS 410 (13% Crom)
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : API 602 / BS 1414
 TESTING : API 598
 ENDS : Flanged to ANDIB 16.5(150#)
 TEST PRESSURE : Body : 10 Kg/cm²
 Seat : 10 Kg/cm²

14 NON RETURN/ CHECK VALVE



CAST STEEL - ASA 150 CLASS SWING TYPE

MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410(13% Crom)
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : BS 1868
 TESTING : BS 5146
 ENDS : Flanged ANDIB 16.5 (150#)
 TEST PRESSURE : Body : 30 Kg/cm²
 Seat : 21 Kg/cm²

15 NON RETURN/ CHECK VALVE



CAST STEEL - ASA 300 CLASS SWING TYPE

MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410(13% Crom)
 OS & Y TYPE BOLTED BONNET.
 MFG. STED. : BS 1868
 TESTING : BS 5146
 ENDS : Flanged ANSIB 16.5 (150#)
 TEST PRESSURE : Body : 75 Kg/cm²
 Seat : 55 Kg/cm²

SIZE	PRICE	
	CF8 (SS304)	CF8M (SS316)
25 NB	6400	9000
40 NB	9300	12500
50 NB	10500	14500
65 NB	14000	19000
80 NB	16000	22000
100 NB	25000	34000
125 NB	36000	50000
150 NB	45000	62500
200 NB	80000	110000

SIZE	PRICE
25 NB	2700
40 NB	3400
50 NB	3700
65 NB	5200
80 NB	5700
100 NB	8500
125 NB	12300
150 NB	15000
200 NB	27000
250 NB	40000
300 NB	57000
350 NB	84000

SIZE	PRICE
25 NB	2200
40 NB	2800
50 NB	3350
65 NB	5000
80 NB	6100
100 NB	8500
125 NB	14500
150 NB	15200
200 NB	26500
250 NB	46500
300 NB	64000

SIZE	PRICE
40 NB	4400
50 NB	6000
65 NB	9000
80 NB	10000
100 NB	13000
125 NB	18000
150 NB	24000
200 NB	42000

**16 NON RETURN/
CHECK VALVE**



CAST STEEL - ASA 600 CLASS SWING TYPE
 MOC : ASTMA A 216 Gr WCB
 TRIMS : SS 410(13% Crom)
 BOLTED COVER
 MFG. STED. : BS 1868
 TESTING : BS 5146
 ENDS : Flanged ANSIB 16.5 (150#)
 TEST PRESSURE : Body : 150 Kg/cm²
 Seat : 110 Kg/cm²

SIZE	PRICE
50 NB	9000
65 NB	14000
80 NB	16000
100 NB	24000
150 NB	51000

**17 NON RETURN/
CHECK VALVE**



STAINLESS STEEL ASA-150 SWING TYPE
 MOC : ASTMA A 351 CF8 / CF8 M
 TRIMS : SS 304 / SS 316
 BOLTED COVER
 MFG. STED. : BS 1868
 TESTING : BS 5146
 ENDS : Flanged ANSIB 16.5 (150#)
 TEST PRESSURE : Body : 30 Kg/cm²
 Seat : 210 Kg/cm²

SIZE	PRICE	
	CFM (SS304)	CF8M (SS316)
25 NB	5500	7500
40 NB	7500	10000
50 NB	9500	13000
65 NB	13000	17000
80 NB	15750	21000
100 NB	24750	33750
125 NB	36000	49500
150 NB	43000	60000
200 NB	80000	110000

**18 NON RETURN/
CHECK VALVE**



**CAST IRON ASA-150 SWING TYPE
/LIFT TYPE CHECK VALVE**
 MOC : IS 210 Gr. FG 200
 TRIMS : SS 410(13% Crom)
 BOLTED COVER
 MFG. STED. : BS 1868
 TESTING : BS 5146
 ENDS : Flanged ANSIB 16.5 (150#)
 TEST PRESSURE : Body : 10 Kg/cm²
 Seat : 10 Kg/cm²

SIZE	PRICE
25 NB	1900
40 NB	2400
50 NB	2700
65 NB	4200
80 NB	5200
100 NB	7100
125 NB	12500
150 NB	12800
200 NB	22000
250 NB	38000
300 NB	56000
350 NB	76000